




# LED LAMP INSTALLATION INSTRUCTIONS

PL	INSTRUKCJA MONTAŻU LAMPY LED
ENG	LED LAMP INSTALLATION INSTRUCTIONS
DE	INSTALLATIONSANLEITUNG FÜR LED-LAMPEN
CZE	POKYNY K INSTALACI LED SVĚTELNÉHO DÍLU
HU	LED LÁMPA TELEPÍTÉSI ÚTMUTATÓ
RUS	ИНСТРУКЦИЯ ПО УСТАНОВКЕ СВЕТОДИОДНОЙ ЛАМПЫ
LT	LED LEMPUTĖS MONTAVIMO INSTRUKCIJOS
SK	POKYNY NA INŠTALÁCIU LED ŽIAROVKY
HR	UPUTE ZA UGRADNJU LED ŽARULJE
BG	ИНСТРУКЦИИ ЗА МОНТАЖ НА LED ЛАМПА
SLO	NAVODILA ZA MONTAŽO LED SVETILKE



PL	NIEZBĘDNE NARZĘDZIA
ENG	NECESSARY TOOLS
DE	WESENTLICHE WERKZEUGE
CZE	ZÁKLADNÍ NÁSTROJE
HU	ALAPVETŐ ESZKÖZÖK
RUS	ОСНОВНЫЕ ИНСТРУМЕНТЫ
LT	PAGRINDINIAI ĮRANKIAI
SK	ZÁKLADNÉ NÁSTROJE
HR	OSNOVNI ALATI
BG	ОСНОВНИ ИНСТРУМЕНТИ
SLO	OSNOVNA ORODJA



PL	SPIŚ ELEMENTÓW
ENG	LIST OF COMPONENTS
DE	LISTE DER KOMPONENTEN
CZE	SEZNAM KOMPONENTŮ
HU	AZ ALKATRÉSZEK JEGYZÉKE
RUS	СПИСОК КОМПОНЕНТОВ
LT	KOMPONENTŲ SĄRAŠAS
SK	ZOZNAM KOMPONENTOV
HR	POPIS KOMPONENTA
BG	СПИСЪК НА КОМПОНЕНТИТЕ
SLO	SEZNAM KOMPONENT




**!** The connection should be made by an installer with appropriate qualifications and electrical authorizations. Damage caused by improper installation are not covered by warranty and will be repaired for a fee.



- Drilling a mounting hole on two opposite sides.

3

- Screwing the lamp to the post.



LED MODULE (WHITE LIGHT)	LED MODULE (ORANGE)
Power 1W	Power 1,5W
Supply voltage 12V/24V	Supply voltage 12V
Light flow (from the source) 90 lm	Beam angle 35 degrees
Beam angle 175 degrees	Light color: ORANGE
The color of light 4000K	Protection class Ip65
Operating temperature from -30 to +50 degrees	
Protection class Ip65	



Connecting the lamp to the 12V installation LED MODULE (ORANGE)	
Orange traffic light	White cube – white light
Orange cube: White insulated wire (+) blue wire (-)	White cube: Brown wire (+) black wire (-)